

anti-human CD10 FITC-conjugated**Cat-No.: H12137F** **1 ml****Clone:** LT10**Specificity:**

The antibody MEM-78 reacts with CD10 antigen (CALLA- Common Acute Lymphatic Leukemia Antigen), a 100 kDa type II integral membrane protein expressed on uncommitted lymphoid precursors. It is also expressed on activated and proliferating B lymphocytes in the germinal centers and granulocytes.

Immunogen: mouse NALM-6 leukemia pre-B cell line (tissue/cell preparation)**Isotype subclass:** Mouse IgG1**Form:**

The purified antibody is conjugated with Fluoresceinisothiocyanate (FITC) under optimum conditions. The reagent is free of unconjugated FITC and adjusted for direct use. No reconstitution is necessary.

Physical state: Liquid**Buffer/Additives/Preservative:**

PBS containing BSA and 0.09 % sodium azide (pH 7.4).

Expiration date:

The reagent is stable until the expiry date stated on the vial label.

Storage conditions:

Store at 4 °C. Do not freeze. Avoid prolonged exposure to light.

Application:

The reagent is designed for Flow Cytometry analysis of human blood cells.

References:

Leucocyte Typing VII. Mason D. et al. (Eds.), Oxford University Press (2002).

Warning:

Sodium azide is harmful if swallowed (R22). Keep out of reach of children (S2). Keep away from food, drink and animal feeding stuff (S13). Wear suitable protective clothing (S36). If swallowed, seek medical advice immediately and show this container or label (S46). Contact with acids liberates very toxic gas (R32). Azide compounds should be flushed with large volumes of water during disposal to avoid deposits in lead or copper plumbing where explosive conditions can develop.

This material is offered for **research only**. Not for use in human. For in vitro use only. EuroBioSciences will not be held responsible for patent infringement or other violations that may occur with the use of our products.